

ALT No	ATE NO	S/V	A	B	C	D	E	F	G	H	MODEL
6000	122.0216	V	260.0	22.0	20.0	44.0	4	61.0	124.0	13.50	Nissan/Renault
6016	128.1002	V	289.0	28.0	26.0	70.0	6	98.0	163.0	13.30	Ford, Mazda Comm
6018	122.0231	V	257.0	22.0	20.0	40.5	4	60.0	126.0	14.50	Opel, Fiat
6023	122.0219	V	310.0	22.0	20.0	48.5	5	65.0	169.0	15.30	VW/Audi
6031	124.1077	V	256.0	24.0	22.0	41.0	4	59.2	123.0	12.50	Chevrolet
6032	125.0184	V	314.0	25.0	23.0	52.0	5	68.0	154.0	15.30	Audi
6042	126.0145	V	290.0	26.0	24.4	46.6	6	94.0	171.0	12.80	Mitsubishi
6056	124.0197	V	300.0	24.0	22.4	73.3	5	79.0	152.0	14.50	BMW
6057	120.0195	V	300.0	20.0	18.0	66.1	5	75.0	160.7	14.70	BMW
6058	126.0134	V	276.0	26.0	24.4	45.5	5	69.0	145.0	12.50	Mitsubishi
6063	125.0105	V	288.0	25.0	23.0	46.5	5	68.0	135.0	15.40	Audi, Audi Quat, VW
6064	110.0209	S	251.4	10.0	8.0	50.5	5	59.0	127.5	13.00	Alfa Romeo
6065	118.1075	V	241.0	18.0	16.0	48.7	4	62.0	125.2	12.60	Kia
6067	125.0117	V	278.0	25.0	23.0	48.5	5	63.5	140.0	13.70	Ford/Volvo
6068	111.0155	S	265.0	11.0	9.0	40.8	5	63.5	177.0	13.70	Ford
6071	112.0178	S	300.0	12.0	10.0	36.4	5	68.0	169.0	15.30	Audi
6072	130.0115	V	345.0	30.0	27.0	49.9	5/2	65.0	140.0	15.30	VW, Audi
6084	120.0142	V	257.5	20.0	18.2	40.5	4	59.0	126.7	13.00	Fiat, Fiat Comm
6088	128.1004	V	280.9	28.0	26.0	58.6	5	62.0	152.0	14.50	Toyota Comm
6090	122.0204	V	275.8	22.0	20.0	44.0	4	64.2	142.5	14.80	Mini
6103	125.1034	V	277.0	25.0	23.0	48.5	5	72.0	140.0	13.80	Mazda
6107	123.0107	V	258.0	23.0	21.0	44.1	4	55.0	135.2	13.20	Ford, Mazda
6108	130.0115	V	345.0	30.0	27.0	49.9	5/2	65.0	140.0	15.30	VW, Audi
6121	111.0101	S	274.0	10.9	9.5	82.2	5	52.3	62.5	M12X1.5	Renault
6124	112.0105	S	231.0	12.0	10.0	45.0	4	60.0	125.0	12.50	Chana
6128	119.0115	V	241.0	19.0	17.0	48.0	4	62.2	125.2	12.60	Hyundai
6146	113.0137	S	278.0	12.6	10.6	63.3	5	80.0	127.5	15.20	Mercedes Benz
6147	110.0185	S	279.0	10.0	8.3	71.7	5	67.0	160.0	15.00	Mercedes Benz
6149	112.0117	S	284.0	12.0	10.0	46.5	5	67.0	154.3	15.00	Mercedes Benz
6150	109.0114	S	278.0	9.0	7.3	55.5	5	67.0	164.0	13.30	Mercedes Benz
6150	109.0154	S	278.0	9.0	7.3	57.5	5	67.0	164.0	15.40	Mercedes Benz
6152	112.0128	S	284.0	12.0	10.0	43.5	5	67.0	154.3	12.80	Mercedes Benz
6158	120.0180	V	247.0	20.0	18.0	35.3	4	55.0	129.0	13.20	Citroen, Peugeot, Toyota
6161	108.0113	S	258.0	8.0	7.0	57.3	5	67.0	164.0	16.00	M/Benz
6162	125.0117	V	278.0	25.0	23.0	48.5	5	63.5	140.0	13.70	Ford/Volvo
6164	128.1003	V	294.0	28.0	26.0	46.4	6	94.0	171.0	14.00	Mitsubishi Comm

ALT No	ATE NO	S/V	A	B	C	D	E	F	G	H	MODEL
6165	112.0105	S	231.0	12.0	10.0	45.0	4	60.0	125.0	12.50	Chana
6166	128.0141	V	295.5	28.0	25.4	54.5	5	67.0	154.0	15.30	Mercedes Benz
6172	110.0278	S	300.0	10.0	8.0	68.3	5	67.0	180.0	15.30	Mercedes Benz
6174	125.0167	V	288.0	25.0	22.4	44.5	5	67.0	154.3	15.30	Mercedes Benz
6178	124.0196	V	293.5	24.0	22.4	56.7	5	58.0	129.0	13.00	Subaru
6180	126.1003	V	295.0	26.0	24.0	49.3	5	140.0	62.0	14.60	Toyota
6181	110.0320	S	290.0	10.0	8.5	56.8	5	62.0	180.0	14.50	Toyota
6184	109.0137	S	247.0	9.0	7.0	35.0	4	71.1	133.0	13.20	Citroen, Peugeot
6185	122.0194	V	266.0	22.0	20.0	34.0	4	66.0	133.0	13.00	Citroen
6189	123.0110	V	282.0	23.0	21.0	47.2	5	64.2	141.0	12.60	Honda
6195	129.0101	V	296.0	29.0	27.5	51.6	5	70.7	154.5	12.80	Chevrolet
6197	121.0106	V	259.0	20.6	17.7	41.0	4	61.0	130.0	12.70	Renault
6200	118.0138	V	234.0	18.0	16.0	51.2	4	62.1	143.0	12.50	Hyundai
6201	126.1070	V	273.0	26.0	24.0	49.2	5	62.0	142.0	14.50	Toyota
6202	109.0138	S	258.0	9.0	7.0	55.5	4	55.0	172.0	10.8	Toyota
6202	110.1090	S	270.0	10.0	8.0	36.8	5	62.0	155.0	14.50	Toyota
6214	125.0158	V	312.0	25.0	22.0	49.9	5/10	65.0	146.0	15.30	VW/Audi
6217	126.0154	V	296.0	26.0	24.4	44.0	5	68.0	160.0	12.80	Nissan
6220	112.0178	S	300.0	12.0	10.0	36.4	5	68.0	169.0	15.30	Audi
6223S	122.1083	V	250.0	22.0	20.0	37.0	6	81.0	140.0	10.60	Nissan Comm
6223V	122.1083	V	250.0	22.0	20.0	37.0	6	81.0	140.0	10.60	Nissan Comm
6224	132.0114	V	345.0	32.0	30.0	51.0	5	67.0	156.5	15.30	Mercedes Benz
6225	112.0169	S	286.0	12.0	10.0	48.6	5	65.0	159.0	15.30	VW
6226	114.0111	S	331.0	13.9	12.3	55.3	5	67.0	184.0	15.30	Mercedes Benz
6228	110.0242	S	290.0	10.0	8.0	46.2	5	107.0	182.0	13.00	Suzuki
6229	126.1001	V	260.0	26.0	24.0	36.5	6	81.3	142.0	11.00	Nissan Comm
6233	120.1090	V	252.0	20.0	18.0	26.0	5	79.0	148.0	10.50	Toyota Comm
6234	126.1001	V	260.0	26.0	24.0	36.5	6	81.3	142.0	11.00	Nissan Comm
6235	126.1001	V	260.0	26.0	24.0	36.5	6	81.3	142.0	11.00	Nissan Comm
6236	122.0146	V	257.0	22.0	20.0	49.2	4	68.0	144.0	12.60	Nissan
6237	125.0118	V	257.0	25.0	24.0	46.6	5	84.0	145.0	M10	Toyota Comm
6238	120.0168	V	289.0	20.0	18.0	64.5	6	100.0	156.0	10.70	Toyota Comm
6240	113.0142	S	278.0	13.0	11.0	118.5	5	112.0	136.3	M14	VW
6242	112.0106	S	239.0	12.0	10.0	35.4	4	65.0	124.5	13.60	VW, VW Comm
6243	120.0123	V	239.0	20.0	18.0	39.0	4	65.0	123.8	13.60	VW

ALT No	ATE NO	S/V	A	B	C	D	E	F	G	H	MODEL
6245	112.1060	S	208.0	12.0	10.0	29.0	4	70.0	117.0	M10	Nissan Comm
6246	118.0110	V	238.0	18.0	17.0	48.2	4	54.1	127.0	14.40	Toyota
6247	113.0158	S	243.0	13.5	12.5	47.4	4	54.0	130.5	14.50	Toyota, Toyota Comm
6248	122.1061	V	258.0	22.0	20.0	47.0	4	55.0	133.0	14.50	Toyota
6251	113.1064	S	243.0	13.5	12.6	47.0	4	55.0	130.7	14.40	Toyota
6252	118.0114	V	243.0	18.0	17.0	47.2	4	54.0	130.0	14.50	Toyota
6253	122.1060	V	240.0	22.0	20.0	48.0	4	55.0	128.0	14.50	Toyota
6254	110.0203	S	226.0	10.0	8.0	71.2	5	39.8	121.4	M14	VW
6255	120.0128	V	256.0	20.0	18.0	38.8	4	65.0	131.0	13.80	VW
6256	116.0104	S	258.0	16.0	13.0	95.5	5	112.0	160.0	M14	VW
6257	110.0111	S	226.0	10.0	8.0	71.2	4	39.8	121.4	M12	VW
6258	122.0100	V	280.0	22.0	20.0	28.5	4	65.0	136.6	15.60	VW
6259	110.0242	S	290.0	10.0	8.0	46.2	5	107.0	182.0	13.00	Suzuki
6260	125.0145	V	288.0	25.0	23.0	49.7	5/10	65.0	144.0	15.30	VW/Audi
6261	118.0123	V	251.0	18.0	16.6	33.5	6	80.0	153.5	110 x 1.2	Isuzu Comm
6265	120.0142	V	257.5	20.0	18.2	40.5	4	59.0	126.7	13.00	Fiat, Fiat Comm
6266	124.1005	V	280.0	24.0	22.6	37.0	6	88.0	152.0	M12x1.25	Isuzu Comm
6267	122.0156	V	257.0	22.0	20.6	36.0	6	88.0	152.5	M12	Isuzu Comm
6268	122.1041	V	250.0	22.0	20.0	36.0	6	88.0	148.0	M12 x 1.2	Isuzu Comm
6268	122.1063	V	252.0	22.0	20.0	36.0	6	88.0	152.0	M12 x 1.2	Isuzu Comm
6269	112.1062	S	258.5	12.0	11.0	37.5	6	80.0	128.5	M12x1.25	Isuzu Comm
6270	122.0156	V	257.0	22.0	20.6	36.0	6	88.0	152.5	M12	Isuzu Comm
6270	122.1069	V	257.2	22.0	20.0	36.0	6	88.0	148.0	10.00	Isuzu Comm
6271	124.1042	V	262.0	24.0	22.0	29.3	4	76.0			Toyota
6275	112.0140	S	238.0	12.0	11.0	48.2	4	54.1	127.0	14.50	Toyota
6276	120.0153	V	302.0	20.0	19.0	48.0	6	100.0	166.5	15.00	Toyota Comm
6277	113.0105	S	302.0	13.0	11.0	48.0	6	100.0	168.5	15.30	Toyota Comm
6278	110.0139	S	228.0	10.0	8.0	38.5	6	83.0	102.5	M8	Renault, Renault Comm
6280	112.0158	S	260.0	12.0	10.0	48.6	10	65.0	140	15.3	VW
6281	120.1044	V	230.0	20.0	18.0	43.7	4	74.0	129.0	M10	Toyota Comm
6282	125.1001	V	255.0	25.0	23.0	41.0	4	74.0	152.0	M12x1.25	Toyota Comm
6282	125.1006	V	255.0	25.0	23.0	42.0	4	74.1	152.0	M12 x 1.2	Toyota Comm
6283	120.0133	V	266.0	20.5	18.5	27.6	4	66.0	133.0	13.00	Citroen, Peugeot
6284	122.0194	V	266.0	22.0	20.0	34.0	4	66.0	133.0	13.00	Citroen

ALT No	ATE NO	S/V	A	B	C	D	E	F	G	H	MODEL
6285	122.0124	V	262.0	22.0	19.4	44.5	5	67.0	142.5	15.00	Mercedes Benz
6286	118.0107	V	240.0	18.0	16.0	45.2	4	61.0	130.0	12.60	Nissan
6287	118.0107	V	240.0	18.0	16.0	45.2	4	61.0	130.0	12.60	Nissan
6291	122.0156	V	257.0	22.0	20.6	36.0	6	88.0	152.5	M12	Isuzu Comm
6293	111.0130	S	227.0	11.0	9.0	45.8	4	62.0	117.0	13.00	Fiat, Fiat Comm
6301	110.0139	S	228.0	10.0	8.0	38.5	6	83.0	102.5	M8	Renault, Renault Comm
6305	121.0114	V	262.0	21.0	19.0	70.0	5	85.0	129.0	10.00	Tata
6306	125.0138	V	325.0	25.0	23.4	52.6	5	79.0	174.0	14.75	BMW
6307	122.0209	V	320.0	22.0	20.4	60.5	5	75.0	185.0	14.50	BMW
6309	122.0135	V	284.0	22.0	20.4	76.0	5	79.0	147.0	14.50	BMW
6311	126.1073	V	276.0	26.0	24.0	45.5	5	60.0	139.0	14.20	Chevrolet
6313	112.1101	S	268.0	12.0	10.0	45.0	5	60.0	147.0	14.20	Chevrolet
6315	124.02	V	330.0	24.0	22.4	73.3	5	79.0	174.0	14.50	BMW
6316	122.0236	V	336.0	22.0	20.4	67.3	5	75.0	185.0	14.50	BMW
6317	109.0103	S	278.0	9.0	7.3	58.5	5	67.0	164.0	15.00	Mercedes Benz
6320	120.0139	V	256.0	20.0	18.4	33.5	5	84.0	150.0	10.60	Ford Comm, Mitsubishi Comm
6323	124.0136	V	256.0	24.0	22.0	45.5	4	69.0	145.0	12.60	Volvo
6329	110.1071	S	240.0	10.0	8.0	58.0	4	63.6	135.9	14.00	Ford, Mazda Comm
6329	112.0141	S	239.5	12.0	10.0	42.9	4	63.5	136.0	13.70	Ford, Mazda
6330	124.0112	V	240.0	24.0	22.2	58.1	4	63.5	136.0	13.70	Ford, Ford Comm, Mazda Comm
6331	110.0115	S	253.0	10.0	8.9	33.0	4	63.5	152.6	13.70	Ford
6332	113.0118	S	244.6	12.7	11.4	27.0	4	68.3	116.1	10.30	Ford
6338	113.0161	S	236.0	12.7	9.7	41.0	4	60.0	123.0	14.00	Opel
6339	120.0115	V	236.0	20.0	18.0	41.0	4	60.0	123.0	14.00	Daewoo, Opel, Opel Comm
6340	112.0102	S	231.0	12.0	10.0	44.0	4	61.0	124.0	12.60	Honda
6342	122.0122	V	260.0	22.0	20.4	35.0	4	66.0	138.0	14.50	BMW
6343	110.0150	S	258.0	10.0	8.4	60.0	4	62.0	160.0	14.50	BMW
6345	118.0101	V	238.0	18.0	16.0	31.0	4	75.0	143.5	10.50	Ford, Ford Comm, Mazda, Mazda Comm
6348	120.0105	V	250.0	20.0	18.5	34.5	4	75.0	151.5	10.60	Mazda
6350	112.1067	S	238.0	12.0	10.5	31.0	4	75.0		10.20	Mazda
6351	120.1053	V	256.0	20.0	18.0	20.0	6	86.0		10.40	Ford Comm, Mazda Comm
6352	122.0118	V	256.0	22.0	20.0	46.5	4	68.0	132.7	15.40	Audi
6353	113.0125	S	246.0	12.7	9.7	55.5	4	73.0	114.0	10.50	Opel
6356	113.0167	S	260.0	12.7	11.1	35.0	4	66.0	137.5	14.50	BMW
6357	122.1054	V	256.0	22.0	20.0	46.3	5	68.0	133.0	15.00	Audi

ALT No	ATE NO	SV	A	B	C	D	E	F	G	H	MODEL
6360	122.0103	V	302.0	22.0	20.4	76.0	5	79.0	149.0	14.50	BMW
6363	128.0101	V	302.0	28.0	26.4	75.9	5	79.0	149.0	14.50	BMW
6365	112.0126	S	286.0	12.0	10.4	51.5	5	79.0	148.0	14.50	BMW
6366	110.0202	S	280.0	10.0	8.4	60.0	5	75.0	160.8	14.50	BMW
6367	122.0103	V	302.0	22.0	20.4	76.0	5	79.0	149.0	14.50	BMW
6368	110.0117	S	300.0	10.0	8.4	61.0	5	75.0	180.0	14.00	BMW
6369	122.0115	V	286.0	22.0	20.4	51.5	5	79.0	148.0	14.50	BMW
6371	124.1076	V	252.0	24.0	22.0	24.0	6	86.0	155.0	10.40	Ford Comm,Mazda Comm
6374	122.1062	V	249.0	22.0	20.0	30.5	6	81.2	140.0	10.50	Nissan Comm
6375	126.0112	V	257.0	26.0	24.0	45.5	4	61.0	133.0	12.75	Nissan
6376	109.0134	S	258.0	9.0	7.0	44.5	4	68.0	154.3	13.00	Nissan
6378	124.0140	V	276.0	24.0	22.4	45.1	6	87.0	174.0	10.60	Mitsubishi
6382	122.0180	V	267.0	22.0	20.0	39.5	6	100.0	167.0	M10	Nissan Comm
6383	126.0109	V	277.0	26.0	24.0	39.0	6	100.0	164.0	M10	Nissan Comm
6385	125.0171	V	288.0	25.0	23.0	46.5	5	68.0	137.0	15.30	VW
6386	110.0201	S	245.0	10.0	8.0	64.2	5	68.0	135.5	16.00	Audi, Audi Quat, VW
6387	115.0105	S	288.0	15.0	13.0	46.5	5	68.0	135.5	15.40	Audi
6388	110.0210	S	245.0	10.0	8.0	83.6	5	45.2	135.5	M14	Audi
6390	122.0152	V	280.0	22.0	20.0	46.5	5	68.0	179.0	15.30	Audi, Audi Quattro
6391	110.1071	S	240.0	10.0	8.0	58.0	4	63.6	135.9	14.00	Ford, Mazda Comm
6392	122.1082	V	272.0	22.0	20.0	24.6	6	93.0	170.0	10.20	Ford Comm, Mazda Comm
6395	120.0147	V	240.0	20.0	18.0	43.0	4	63.5	136.0	13.70	Ford, Ford Comm
6396	122.0150	V	280.0	22.0	19.0	36.6	5	65.0	133.5	15.60	Audi, VW
6397	125.0113	V	288.0	25.0	22.0	34.5	5	65.0	136.0	15.60	Audi, VW
6398	122.0151	V	256.0	22.0	19.0	36.6	5	65.0	133.5	15.60	VW
6399	109.0123	S	232.0	9.0	7.0	39.5	5	65.0	125.0	15.80	Audi, VW
6409	116.0117	S	273.0	16.0	15.0	37.5	5	66.5	162.0	14.00	Daihatsu
6412	120.0166	V	253.0	20.0	18.4	28.6	5	84.0	153.0	10.60	Hyundai Comm
6417	122.0241	V	284.0	22.0	20.0	43.5	4	60.0	127.0	14.20	Opel, Fiat
6423	124.0175	V	273.5	24.0	22.0	47.4	5	72.0	142.0	13.10	Mazda
6424	124.1080	V	261.0	24.0	22.0	24.0	6	86.0	153.8	10.20	Kia
6427	116.0120	S	234.0	16.0	15.0	40.9	4	55.1	125.0	13.20	Daihatsu
6430	112.0148	S	255.0	12.0	10.0	40.0	10	68.0	144.5	15.30	Audi, Audi Quattro
6431	110.0261	S	245.0	10.0	8.0	40.0	5/10	68.0	135.5	15.30	Audi
6439	124.1018	V	276.0	24.0	22.0	50.3	5	66.0	144.0	15.50	VW

ALT No	ATE NO	SV	A	B	C	D	E	F	G	H	MODEL
6455	126.0109	V	277.0	26.0	24.0	39.0	6	100.0	164.0	M10	Nissan Comm
6457	122.0194	V	266.0	22.0	20.0	34.0	4	66.0	133.0	13.00	Citroen
6476	124.1081	V	274.0	24.0	22.0	24.0	6	93.0	167.0	10.50	Ford
6488	110.0302	S	280.0	10.0	8.0	40.2	5	72.0	142.0	13.00	Mazda
6494	120.0180	V	247.0	20.0	18.0	35.3	4	55.0	129.0	13.20	Citroen, Peugeot, Toyota
6498	118.1076	S	233.0	18.0	16.0	30.0	4	91.0	125.7	110 x 1.2	Toyota
6502	121.0113	V	239.5	21.0	19.0	39.0	4	61.0	126.5	12.70	Honda
6503	122.0207	V	235.0	22.0	20.0	46.0	4	55.0	125.0	13.00	Mazda
6504	122.0194	V	266.0	22.0	20.0	34.0	4	66.0	133.0	13.00	Citroen
6505	126.0120	V	283.0	26.0	24.0	34.2	4	66.0	133.5	13.00	Citroen
6507	110.0324	S	234.0	10.0	8.0	37.5	4	62.5	142.0	12.60	Kia
6510	124.0175	V	273.5	24.0	22.0	47.4	5	72.0	142.0	13.10	Mazda
6511	110.0302	S	280.0	10.0	8.0	40.2	5	72.0	142.0	13.00	Mazda
6512	125.1036	V	300.0	25.0	23.0	47.2	5	64.1	140.0	12.80	Honda
6514	125.0148	V	280.0	25.0	22.0	42.0	4*	60.0	139.0	14.50	Opel *4 stud
6520	123.1000	V	280.0	23.0	21.4	39.2	5	61.0	132.0	14.00	Chrysler
6523	122.0194	V	266.0	22.0	20.0	34.0	4	66.0	133.0	13.00	Citroen
6524	124.1082	V	294.0	24.0	22.0	45.6	5	69.0	143.0	12.60	Mitsubishi
6527	118.1075	V	241.0	18.0	16.0	48.7	4	62.0	125.2	12.60	Kia
6529	113.0184	S	266.0	13.0	11.0	27.2	4	66.0	133.0	13.00	Citroen
6533	124.0166	V	260.0	24.0	21.0	41.0	4	60.0	126.0	14.50	Opel
6534	125.0113	V	288.0	25.0	22.0	34.5	5	65.0	136.0	15.60	Audi, VW
6535	122.0238	V	292.0	22.0	20.0	73.0	5	79.0	152.0	14.80	BMW
6539	128.0121	V	296.0	28.0	26.0	38.0	6	68.0	160.0	12.70	Nissan
6541	120.0142	V	257.5	20.0	18.2	40.5	4	59.0	126.7	13.00	Fiat, Fiat Comm
6542	120.0147	V	240.0	20.0	18.0	43.0	4	63.5	136.0	13.70	Ford, Ford Comm
6543	122.1035	V	255.0	22.0	20.0	46.3	6	55.0	130.0	14.60	Toyota
6544	125.0137	V	312.0	25.0	23.0	46.5	5/10	68.0	158.0	15.30	Audi, Audi Quat
6546	128.1000	V	285.0	28.0	26.0	48.5	6	105.0	154.0	10.50	Toyota
6548	128.0147	V	302.0	28.0	26.5	39.0	5	73.5	146.3	14.00	Chrysler
6549	128.0121	V	296.0	28.0	26.0	38.0	6	68.0	160.0	12.70	Nissan
6550	128.0121	V	296.0	28.0	26.0	38.0	6	68.0	160.0	12.70	Nissan
6554	120.0183	V	320.0	20.0	18.4	61.2	5	75.0	185.0	14.50	BMW
6555	124.0181	V	310.0	24.0	22.4	77.0	5	79.0	161.0	14.50	BMW
6556	130.0173	V	324.0	30.0	28.4	77.0	5	79.0	165.0	14.50	BMW
6560	124.0115	V	256.0	24.0	21.0	41.0	4	60.0	123.0	14.00	Daewoo, Opel

ALT No	ATE NO	SV	A	B	C	D	E	F	G	H	MODEL
6560	124.0152	V	256.0	24.0	21.0	41.1	4	60.0	123.0	14.25	Opel
6561	125.0131	V	280.0	25.0	22.0	42.0	5*	70.0	139.0	14.00	Opel *5 stud
6562	110.025	S	264.0	10.0	8.0	42.0	5	65.5	145.0	14.00	Opel
6563	110.0251	S	240.0	10.0	8.0	42.0	4	57.0	140.8	14.00	Opel
6565	125.0131	V	280.0	25.0	22.0	42.0	5*	70.0	139.0	14.00	Opel *5 stud
6566	125.0148	V	280.0	25.0	22.0	42.0	4*	60.0	139.0	14.50	Opel *4 stud
6570	112.0141	S	239.5	12.0	10.0	42.9	4	63.5	136.0	13.70	Ford, Mazda
6575	124.1077	V	256.0	24.0	22.0	41.0	4	59.2	123.0	12.50	Chevrolet
6577	128.1002	V	289.0	28.0	26.0	70.0	6	98.0	163.0	13.30	Ford, Mazda Comm
6578	110.0174	S	284.0	10.0	8.4	61.0	5	75.0	180.0	14.50	BMW
6581	122.0159	V	296.0	22.0	20.4	76.3	5	79.0	148.8	14.50	BMW
6582	120.0154	V	298.0	20.0	18.4	61.3	5	75.0	185.0	14.50	BMW
6583	119.0107	V	276.0	19.0	17.4	60.3	5	75.0	160.8	14.50	BMW
6584	126.1071	V	257.0	26.0	24.0	40.0	6	88.0	155.0	112 x 1.2	Isuzu Comm
6587	126.0108	V	274.0	26.0	24.0	44.5	5	87.0	132.0	10.5	Hyundai
6588	127.0001	V	280.0	27.0	25.0	40.0	6	88.0	175.0	112 x 1.2	Isuzu Comm
6590	122.0206	V	284.0	22.0	19.0	38.2	5	64.2	142.0	15.30	Rover
6591	122.0160	V	300.0	22.0	20.4	51.8	5	79.0	163.8	14.50	BMW
6593	119.0108	V	294.0	19.0	17.4	59.7	5	75.0	160.8	14.75	BMW
6595	122.0204	V	275.8	22.0	20.0	44.0	4	64.2	142.5	14.80	Mini
6597	125.0104	V	282.0	25.0	23.4	76.0	5	79.0	146.0	14.50	BMW
6603	128.0177	V	330.0	28.0	26.0	46.5	5	67.0	154.0	13.00	Mercedes Benz
6605	125.0158	V	312.0	25.0	22.0	49.9	5/10	65.0	146.0	15.30	VW/Audi
6606	112.0169	S	286.0	12.0	10.0	48.6	5	65.0	159.0	15.30	VW
6609	109.0123	S	232.0	9.0	7.0	39.5	5	65.0	125.0	15.80	Audi, VW
6611	110.0277	S	255.0	10.0	8.0	51.6	5	65.0	140.0	15.30	VW
6617	122.0207	V	235.0	22.0	20.0	46.0	4	55.0	125.0	13.00	Mazda
6618	122.0231	V	257.0	22.0	20.0	40.5	4	60.0	126.0	14.50	Opel, Fiat
6632	125.0142	V	308.0	25.0	23.0	42.0	5	70.0	139.0	14.00	Opel
6633	110.0250	S	264.0	10.0	8.0	42.0	5	65.5	144.8	14.00	Opel
6635	124.0166	V	260.0	24.0	21.0	41.0	4	60.0	126.0	14.50	Opel
6637	124.0166	V	260.0	24.0	21.0	41.0	4	60.0	126.0	14.50	Opel
6639	128.0129	V	305.5	28.0	26.0	77.8	5	90.0	157.0	15.80	Opel
6643	122.0210	V	280.0	22.0	20.0	49.4	5/10	65.0	144.0	15.30	VW/Audi
6644	112.0158	S	260.0	12.0	10.0	48.6	10	65.0	140	15.3	VW

ALT No	ATE NO	SV	A	B	C	D	E	F	G	H	MODEL
6645	130.0114	V	308.0	29.5	25.5	55.6	5	76.2	154.8	16.70	VW
6648	128.1001	V	318.3	28.0	26.0	67.3	6	108.0	172.0	14.50	Toyota
6649	128.0159	V	296.0	28.0	26.0	49.2	5	62.0	145.0	14.70	Toyota
6651	125.0145	V	288.0	25.0	23.0	49.7	5/10	65.0	144.0	15.30	VW/Audi
6655	123.0110	V	282.0	23.0	21.0	47.2	5	64.2	141.0	12.60	Honda
6661	128.0100	V	295.0	28.0	24.0	64.5	5	67.0	154.3	15.20	Mercedes Benz
6662	110.0328	S	300.0	10.0	8.3	57.5	5	67.0	164.0	15.30	Mercedes Benz
6665	122.0231	V	257.0	22.0	20.0	40.5	4	60.0	126.0	14.50	Opel, Fiat
6667	122.0241	V	284.0	22.0	20.0	43.5	4	60.0	127.0	14.20	Opel, Fiat
6669	128.0251	V	303.0	28.0	26.0	56.9	5	76.0	165.0	16.60	VW Comm
6670	124.0161	V	300.0	24.0	22.0	47.0	5	63.5	155.0	13.70	Ford
6671	112.0154	V	280.0	12.0	10.5	34.0	5	63.5	151.0	13.70	Ford, Jaguar
6675	110.0311	S	280.0	10.0	8.0	56.0	5	55.0	173.0	14.70	Toyota
6676	122.1099	V	259.8	22.0	20.0	44.0	4	68.0	142.0	12.80	Nissan
6677	123.0110	V	282.0	23.0	21.0	47.2	5	64.2	141.0	12.60	Honda
6682	128.0107	V	288.0	28.0	26.0	64.6	5	72.0	158.0	15.70	Jeep
6682	128.0708	V	288.0	28.0	26.0	64.8	5	72.0	158.0	15.50	Jeep
6684	125.0123	V	312.0	25.0	23.0	34.5	5	65.0	185.0	15.60	Audi Quattro
6689	128.0140	V	280.0	28.0	26.0	49.2	5	68.0	144.0	12.80	Nissan
6694	122.0151	V	256.0	22.0	19.0	36.6	5	65.0	133.5	15.60	VW
6695	125.0113	V	288.0	25.0	22.0	34.5	5	65.0	136.0	15.60	Audi, VW
6697	128.0123	V	305.0	28.0	25.0	50.3	5	68.0	139.0	16.50	Volvo
6707	122.0145	V	284.0	22.0	20.2	43.5	5	59.0	127.0	13.00	Alfa Romeo
6708	114.0108	S	298.0	14.0	13.0	70.0	5	101.6	161.0	10.60	Land Rover
6712	122.0148	V	262.0	22.0	19.8	44.0	4	61.0	132.0	13.50	Renault
6713	124.0171	V	280.0	24.0	21.8	43.9	5	61.0	132.0	15.50	Renault
6714	120.0125	V	238.0	20.0	17.7	41.0	4	61.0	128.0	12.50	Renault, Renault Comm
6715	121.0106	V	259.0	20.6	17.7	41.0	4	61.0	130.0	12.70	Renault
6716	113.0139	S	280.0	12.7	11.1	78.0	5	74.0	143.0	14.50	BMW
6717	119.0106	V	242.0	19.0	17.0	44.1	4	61.0	122.0	12.60	Honda
6721	112.1072	S	239.0	12.0	10.0	34.6	4	73.0	115.0	10.50	Toyota
6722	128.0115	V	275.0	28.0	26.0	50.0	5	62.0	159.0	14.50	Toyota
6723	128.0114	V	255.0	28.0	26.0	49.0	5	62.0	146.5	14.50	Toyota
6727	120.0158	V	240.0	20.0	18.2	46.5	4	59.0	124.5	13.20	Fiat, Fiat Comm
6728	109.0128	S	242.0	9.0	7.0	36.4	4	54.0	130.9	15.80	Toyota

ALT No	ATE NO	SV	A	B	C	D	E	F	G	H	MODEL
6729	112.0115	S	239.8	12.0	11.0	35.0	4	76.0	126.8	8.30	Nissan
6733	110.0212	S	238.5	10.0	8.0	48.1	4	61.0	154.0	13.00	Honda
6734	117.0101	V	231.0	17.0	15.0	44.0	4	61.0	123.0	14.50	Honda
6737	121.0104	V	240.0	21.0	19.0	44.8	4	61.0	126.0	13.00	Honda
6738	121.0105	V	262.0	21.0	19.0	44.7	4	64.1	141.0	13.00	Honda
6739	109.0111	S	239.0	9.0	7.0	47.6	4	61.0	155.0	13.00	Honda
6740	124.0158	V	280.0	24.0	21.8	44.0	4	61.0	140.0	13.60	Renault
6741	122.0216	V	260.0	22.0	20.0	44.0	4	61.0	124.0	13.50	Nissan/Renault
6742	122.0179	V	280.0	22.0	20.0	49.2	4	68.0	143.3	12.75	Nissan
6743	124.0129	V	258.0	24.0	22.0	48.6	5	72.0	142.5	13.00	Ford, Mazda
6745	124.0129	V	258.0	24.0	22.0	48.6	5	72.0	142.5	13.00	Ford, Mazda
6746	125.1032	V	255.0	25.0	23.0	49.0	4	55.0	129.0	14.50	Toyota
6747	109.0138	S	258.0	9.0	7.0	55.5	4	55.0	172.0	10.8	Toyota
6748	124.0166	V	260.0	24.0	21.0	41.0	4	60.0	126.0	14.50	Opel
6753	124.0143	V	298.0	24.0	22.0	70.0	5	101.6	155.3	10.60	Land Rover
6761	122.1022	V	258.0	22.0	20.0	33.5	6	84.0	-	10.80	Mitsubishi Comm
6762	122.0175	V	277.0	22.0	20.4	45.0	6	87.0	170.0	11.00	Mitsubishi, Mitsubishi Comm
6763	124.1002	V	276.0	24.0	22.0	45.0	6	87.0	136.0	M12x1.25	Mitsubishi Comm
6764	124.1003	V	254.0	24.0	22.0	39.0	6	87.0	152.0	M12x1.25	Mitsubishi Comm
6766	114.0108	S	298.0	14.0	13.0	70.0	5	101.6	161.0	10.60	Land Rover
6769	113.0161	S	236.0	12.7	9.7	41.0	4	60.0	123.0	14.00	Opel
6770	117.0101	V	231.0	17.0	15.0	44.0	4	61.0	123.0	14.50	Honda
6771	124.0115	V	256.0	24.0	21.0	41.0	4	60.0	123.0	14.00	Daewoo, Opel
6772	124.1002	V	276.0	24.0	22.0	45.0	6	87.0	136.0	M12x1.25	Mitsubishi Comm
6773	120.0139	V	256.0	20.0	18.4	33.5	5	84.0	150.0	10.60	Ford Comm, Mitsubishi Comm
6774	122.0116	V	278.0	22.0	19.4	68.3	5	80.0	127.5	15.00	Mercedes Benz
6775	122.0123	V	284.0	22.0	19.4	43.5	5	67.0	154.3	15.00	Mercedes Benz
6776	109.0118	S	258.0	9.0	7.3	55.5	5	67.0	164.0	15.00	Mercedes Benz
6777	128.0102	V	300.0	28.0	25.4	68.3	5	80.0	145.0	15.00	Mercedes Benz
6778	111.0137	S	262.0	11.0	9.0	45.5	5	67.0	142.5	15.00	Mercedes Benz
6785	128.0105	V	257.0	28.0	26.0	58.4	5	62.0	141.0	14.60	Toyota Comm
6786	125.1035	V	297.0	25.0	23.0	67.4	6	108.0	167.7	14.40	Toyota Comm
6791	117.0102	V	231.0	17.0	15.0	40.0	4	66.0	136.0	12.50	Tata
6792	122.0216	V	260.0	22.0	20.0	44.0	4	61.0	124.0	13.50	Nissan/Renault
6794	117.0102	V	231.0	17.0	15.0	40.0	4	66.0	136.0	12.50	Tata

ALT No	ATE NO	SV	A	B	C	D	E	F	G	H	MODEL
6797	122.0168	V	260.0	22.0	19.4	40.4	5	67.0	160.0	13.25	Mercedes Benz
6804	124.0115	V	256.0	24.0	21.0	41.0	4	60.0	123.0	14.00	Daewoo, Opel
6805	110.0204	S	260.0	10.0	8.0	69.2	4	57.0	160.0	14.00	Opel
6806	120.0115	V	236.0	20.0	18.0	41.0	4	60.0	123.0	14.00	Daewoo, Opel, Opel Comm
6811	122.0132	V	284.0	22.0	19.4	43.5	5	67.0	154.3	12.80	Mercedes Benz
6812	122.0106	V	278.0	22.0	20.0	66.3	5	80.0	127.5	15.00	Mercedes Benz
6814	113.0185	S	247.0	13.0	11.0	34.2	4	66.0	133.0	13.00	Peugeot
6815	122.0169	V	257.0	22.0	20.0	44.0	4	69.0	160.0	12.60	Hyundai
6817	122.0170	V	257.0	22.0	20.0	34.0	4	86.0	160.5	10.50	Hyundai
6818	119.0109	V	242.0	19.0	17.0	40.5	4	86.0	144.0	110 x 1.2	Hyundai
6819	122.0165	V	257.0	22.0	20.0	45.0	4	55.0	125.0	13.00	Mazda
6820	109.0131	S	251.0	9.0	7.0	35.0	4	55.0	125.0	13.00	Mazda
6823	122.1060	V	240.0	22.0	20.0	48.0	4	55.0	128.0	14.50	Toyota
6824	122.1061	V	258.0	22.0	20.0	47.0	4	55.0	133.0	14.50	Toyota
6827	111.0119	S	240.0	11.1	9.0	40.0	4	59.0	119.0	13.30	Alfa Romeo
6833	122.0194	V	266.0	22.0	20.0	34.0	4	66.0	133.0	13.00	Citroen
6833A	126.012	V	283.0	26.0	24.0	34.2	4	66.0	133.5	13.00	Citroen
6835	109.0137	S	247.0	9.0	7.0	35.0	4	71.1	133.0	13.20	Citroen, Peugeot
6848	113.0185	S	247.0	13.0	11.0	34.2	4	66.0	133.0	13.00	Peugeot
6871	119.0116	V	256.0	19.0	17.0	48.0	4	62.2	125.0	12.60	Hyundai
6874	121.0106	V	259.0	20.6	17.7	41.0	4	61.0	130.0	12.70	Renault
6878	110.0210	S	245.0	10.0	8.0	83.6	5	45.2	135.5	M14	Audi
6879	119.1001	V	241.2	19.0	17.0	52.0	4	63.4	144.0	12.60	Hyundai
6880	124.1004	V	257.0	24.0	22.0	46.5	4	69.0	141.0	12.60	Hyundai
6881	124.1004	V	257.0	24.0	22.0	46.5	4	69.0	141.0	12.60	Hyundai
6890	109.0120	S	258.0	9.0	7.3	55.5	5	67.0	164.0	13.20	Mercedes Benz
6891	125.0110	V	288.0	25.0	22.4	46.9	5	67.0	154.3	13.20	Mercedes Benz
6892	109.0114	S	278.0	9.0	7.3	55.5	5	67.0	164.0	13.30	Mercedes Benz
6893	128.0106	V	300.0	28.0	25.4	46.5	5	67.0	154.0	13.20	Mercedes Benz
6894	110.0217	S	290.0	10.0	8.3	55.5	5	67.0	164.0	13.20	Mercedes Benz
6896	109.0120	S	258.0	9.0	7.3	55.5	5	67.0	164.0	13.20	Mercedes Benz
6899	124.1004	V	257.0	24.0	22.0	46.5	4	69.0	141.0	12.60	Hyundai
6904	120.0103	V	282.5	20.5	19.1	35.3	5	107.0	145.0	8.40	Porsche
6913	120.0103	V	282.5	20.5	19.1	35.3	5	107.0	145.0	8.40	Porsche
6919	126.0116	V	303.0	26.0	23.0	51.5	5	67.0	168.0	15.00	Mercedes Benz

ALT No	ATE NO	SV	A	B	C	D	E	F	G	H	MODEL
6927	124.0702	V	280.0	24.0	22.7	81.5	5	72.0	159.0	15.50	Jeep
6927	124.1001	V	280.0	24.0	22.0	81.7	5	72.5	159.0	15.50	Jeep
6930	122.0146	V	257.0	22.0	20.0	49.2	4	68.0	144.0	12.60	Nissan
6931	122.0146	V	257.0	22.0	20.0	49.2	4	68.0	144.0	12.60	Nissan
6942	124.0153	V	282.0	24.0	22.4	38.0	5	73.5	159.8	14.00	Chrysler
6944	128.0147	V	302.0	28.0	26.5	39.0	5	73.5	146.3	14.00	Chrysler
6947	122.0148	V	262.0	22.0	19.8	44.0	4	61.0	132.0	13.50	Renault
6951	124.0153	V	282.0	24.0	22.4	38.0	5	73.5	159.8	14.00	Chrysler
6953	128.0102	V	300.0	28.0	25.4	68.3	5	80.0	145.0	15.00	Mercedes Benz
6954	125.0103	V	275.0	25.0	23.0	49.3	4	55.0	130.9	14.60	Toyota
6955	109.0138	S	258.0	9.0	7.0	55.5	4	55.0	172.0	10.8	Toyota
6955	109.1032	S	269.0	9.0	7.3	55.7	4	55.1	173.0	14.60	Toyota
6956	112.0151	S	288.0	12.0	10.0	64.8	5	68.0	178.0	16.50	Volvo
6957	122.0185	V	319.0	22.0	20.0	70.2	6	108.0	173.0	14.55	Toyota Comm
6959	128.0101	V	302.0	28.0	26.4	75.9	5	79.0	149.0	14.50	BMW
6973	112.1001	S	236.0	12.5	11.0	35.5	4	86.0			Daewoo,Chevrolet
6976	124.0172	V	284.5	24.0	22.4	51.0	5	96.3	139.6	12.50	Kia
6977	120.0147	V	240.0	20.0	18.0	43.0	4	63.5	136.0	13.70	Ford, Ford Comm
6978	120.0158	V	240.0	20.0	18.2	46.5	4	59.0	124.5	13.20	Fiat, Fiat Comm
6981	125.1032	V	255.0	25.0	23.0	49.0	4	55.0	129.0	14.50	Toyota
6982	109.0138	S	258.0	9.0	7.0	55.5	4	55.0	172.0	10.8	Toyota
6983	120.0142	V	257.5	20.0	18.2	40.5	4	59.0	126.7	13.00	Fiat, Fiat Comm
6984	124.0159	V	281.0	24.0	21.5	45.7	4	69.0	147.0	12.50	Volvo
6989	124.0159	V	281.0	24.0	21.5	45.7	4	69.0	147.0	12.50	Volvo
6990	122.0172	V	258.0	22.0	20.0	43.4	4	63.5	136.0	13.70	Ford
6991	110.0115	S	253.0	10.0	8.9	33.0	4	63.5	152.6	13.70	Ford
6995	128.0115	V	275.0	28.0	26.0	50.0	5	62.0	159.0	14.50	Toyota
6996	125.1001	V	255.0	25.0	23.0	41.0	4	74.0	152.0	M12x1.25	Toyota Comm
6996	125.1006	V	255.0	25.0	23.0	42.0	4	74.1	152.0	M12 x 1.2	Toyota Comm
6998	128.0115	V	275.0	28.0	26.0	50.0	5	62.0	159.0	14.50	Toyota
7001	130.0113	V	320.0	30.0	28.0	46.5	5	68.0	137.0	15.30	Audi
7003	122.0232	V	276.0	22.0	19.4	44.5	5	67.0	145.0	15.30	Mercedes Benz
7010	128.1005	V	320.0	28.0	26.0	38.0	6	68.0	193.0	12.70	Nissan Comm
7011	122.0239	V	284.0	22.0	20.0	73.0	5	79.0	152.0	14.80	BMW
7012	110.0314	S	280.0	10.0	8.4	65.5	5	75.0	160.8	14.50	BMW
7018	122.0231	V	257.0	22.0	20.0	40.5	4	60.0	126.0	14.50	Opel, Fiat

ALT No	ATE NO	SV	A	B	C	D	E	F	G	H	MODEL
7020	110.025	S	264.0	10.0	8.0	42.0	5	65.5	145.0	14.00	Opel
7021	125.1035	V	297.0	25.0	23.0	67.4	6	108.0	167.7	14.40	Toyota Comm
7022	120.0180	V	247.0	20.0	18.0	35.3	4	55.0	129.0	13.20	Citroen, Peugeot, Toyota
7023	124.0203	V	312.0	24.0	22.4	73.7	5	79.0	152.0	14.50	BMW
7024	120.1092	V	236.0	20.0	18.0	41.0	4	59.0	123.0	12.50	Chevrolet
7038	122.0216	V	260.0	22.0	20.0	44.0	4	61.0	124.0	13.50	Nissan/Renault
7041	130.0193	V	320.0	30.0	28.0	52.4	5	68.0	153.4	15.30	Audi
7051	126.1069	V	250.0	26.0	24.0	47.2	6	95.0	140.0	12.70	Chana
7065	128.1006	V	296.0	28.0	26.0	53.2	6	68.0	154.0	12.80	Nissan Comm
7070	126.013	V	305.0	26.0	24.0	63.5	5	72.0	170.0	15.50	Jeep
7070	126.1068	V	305.0	26.0	24.0	63.6	5	72.0	170.0	15.20	Jeep
7098	132.1	V	302.0	32.0	30.0	61.0	6	98.0	163.0	13.20	Ford/Mazda
7100	130.0117	V	324.0	30.0	28.4	81.0	5	79.0	169.0	16.50	BMW
7102	130.0118	V	348.0	30.0	28.4	81.0	5	79.0	191.0	16.50	BMW
7144	122.11	V	257.0	22.0	20.0	45.3	4	55.0	132.0	14.50	Toyota
7188	122.1098	V	270.0	22.0	20.0	37.3	4	69.0	145.0	12.40	Proton
BT8248	122.0161	V	276.0	22.0	19.0	77.2	5	85.0	156.3	15.00	Mercedes Comm
BT8250	116.011	S	272.0	16.0	14.0	96.7	5	85.0	160.0	15.00	Mercedes Comm
BT8332	135.1000	V	296.0	35.0	33.0	90.0	5	126.0	130.0	M14 x 1.5	Toyota Comm
BT8341	122.0196	V	285.0	22.0	20.0	93.0	6	120.0	167.0	15.0	M/B Sprinter
BT8724	128.0145	V	300.0	28.0	25.0	58.5	5	67.0	153.0	15.00	Mercedes Benz
BT8738	128.0203	V	300.0	28.0	25.0	68.5	6	85.0	155.0	15.00	VW Comm
	108.0114	S	240.0	8.0	7.0	80.6	4	52.3	55.0	M12x1.5	Renault
	110.011	S	272.0	9.5	7.9	61.5	5	75.0	160.0	14.50	BMW
	110.0228	S	280.0	10.0	8.0	63.4	5	67.0	178.0	15.00	Mercedes Benz
	110.028	S	296.0	10.0	8.0	57.7	5	67.0	186.0	15.00	Mercedes Benz
	110.0293	S	290.0	10.0	8.3	57.0	5	67.0	164.0	13.20	Mercedes Benz
	112.11	S	280.0	12.0	10.0	41.0	4	90.0	153.0	12.50	Proton
	116.0109	S	258.0	16.0	13.0	57.5	5	67.0	135.0	15.50	VW
	118.0137	V	239.0	18.0	16.0	35.0	5	65.0	125.0	15.60	VW
	118.0146	V	332.0	18.0	16.0	74.4	6	94.0	210.0	12.80	Mitsubishi
	122.0101	V	280.0	22.0	20.0	39.5	5	65.0	136.6	14.20	VW
	122.0177	V	240.0	22.0	20.0	43.0	4	66.0	122.0	13.00	MG
	122.1097	V	266.0	22.0	20.0	44.3	4	69.0	145.0	12.50	Proton

