

## BRAKE DISC DIAMETER LISTING

ATE No.	S/V	A	B	C	D	E	F	G	H	MAKE
112.1060	S	208.0	12.0	10.0	29.0	4	70.0	117.0	M10	Nissan Comm.
111.1034	S	215.0	11.0	9.2	39.0	3	61.0	129.7	13.80	Renault
110.0111	S	226.0	10.0	8.0	71.2	4	39.8	121.4	M12	VW
111.0130	S	227.0	11.0	9.0	45.8	4	62.0	117.0	13.00	Fiat Pass. & Comm.
120.1044	V	230.0	20.0	18.0	43.7	4	74.0	129.0	M10	Toyota Comm.
112.0105	S	231.0	12.0	10.0	45.0	4	60.0	125.0	12.50	Chana
117.0102	V	231.0	17.0	15.0	40.0	4	66.0	136.0	12.50	Tata
120.0225	V	231.0	20.0	18.0	51.4	4	60.0	124.2	12.70	Suzuki
109.0123	S	232.0	9.0	7.0	39.5	5	65.0	125.0	15.60	Audi, VW
118.1076	S	233.0	18.0	16.0	30.0	4	91.0	125.7	M10 x 1.25	Toyota
118.1079	V	233.0	18.0	17.0	29.5	4	87.0	133.0	M10 x 1.25	Toyota
118.0138	V	234.0	18.0	16.0	51.2	4	62.1	143.0	12.50	Hyundai
110.0324	S	234.0	10.0	8.0	37.5	4	62.5	142.0	12.60	Hyundai, Kia
116.0120	S	234.0	16.0	14.0	40.9	4	55.1	125.0	13.20	Daihatsu
122.0207	V	235.0	22.0	20.0	46.0	4	55.0	125.0	13.00	Mazda
122.0227	V	235.0	22.0	20.0	45.0	4	55.0	124.6	13.00	Kia
112.1001	S	236.0	12.5	11.0	35.5	4	86.0	106.6	M10 x 1.25	Chevrolet, Daewoo
120.0115	V	236.0	20.0	18.0	41.0	4	60.0	123.0	14.00	Daewoo, Opel Pass. & Comm.
120.1092	V	236.0	20.0	18.0	41.0	4	59.0	123.0	12.50	Chevrolet
112.0140	S	238.0	12.0	11.0	48.2	4	54.1	127.0	14.50	Toyota
112.1067	S	238.0	12.0	10.5	31.0	4	75.0	143.0	10.20	Mazda
118.0101	V	238.0	18.0	16.0	31.0	4	75.0	143.5	10.50	Ford Pass. & Comm., Mazda Pass. & Comm.
118.0110	V	238.0	18.0	17.0	48.2	4	54.1	127.0	14.40	Toyota
120.0125	V	238.0	20.0	17.7	41.0	4	61.0	128.0	12.50	Renault Pass. & Comm.
122.1101	V	238.0	22.0	20.0	43.8	4	61.0	129.5	12.70	Datsun
109.0111	S	239.0	9.0	7.0	47.6	4	61.0	155.0	13.00	Honda
112.0106	S	239.0	12.0	10.0	35.4	4	65.0	124.5	13.60	VW Pass. & Comm.
112.1072	S	239.0	12.0	10.0	34.6	4	73.0	115.0	10.50	Toyota
120.0123	V	239.0	20.0	18.0	39.0	4	65.0	123.8	13.60	VW
112.0141	S	239.5	12.0	10.0	42.9	4	63.5	136.0	13.70	Ford, Mazda
121.0113	V	239.5	21.0	19.0	39.0	4	61.0	126.5	12.70	Honda
108.0114	S	240.0	8.0	7.0	80.6	4	52.3	55.0	M12 x 1.5	Renault
110.0251	S	240.0	10.0	8.0	42.0	4	57.0	140.8	14.00	Opel
111.0119	S	240.0	11.1	9.0	40.0	4	59.0	123.0	13.30	Alfa Romeo
118.0107	V	240.0	18.0	16.0	45.2	4	61.0	130.0	12.60	Nissan
120.0147	V	240.0	20.0	18.0	43.0	4	63.5	136.0	13.70	Ford Pass. & Comm.
120.0158	V	240.0	20.0	18.2	46.5	4	59.0	124.5	13.20	Fiat
121.0104	V	240.0	21.0	19.0	44.8	4	61.0	126.0	13.00	Honda
122.1060	V	240.0	22.0	20.0	48.0	4	55.0	128.0	14.50	Toyota
110.0251	S	240.0	10.0	8.0	42.0	4	57.0	140.8	14.00	Opel
118.1075	V	241.0	18.0	16.0	48.7	4	62.0	125.2	12.60	Hyundai, Kia
119.1001	V	241.2	19.0	17.0	52.0	4	63.4	144.0	12.60	Hyundai
119.0106	V	242.0	19.0	17.0	44.1	4	61.0	122.0	12.60	Honda
119.0109	V	242.0	19.0	17.0	40.5	4	86.0	144.0	M10 x 1.25	Hyundai
113.0158*	S	243.0	13.5	12.5	47.4	4	54.0	130.5	14.50	Toyota Pass. & Comm.
113.1064*	S	243.0	13.5	12.6	47.0	4	55.0	130.7	14.40	Toyota
113.0118	S	244.6	12.7	11.4	27.0	4	68.3	116.1	10.30	Ford
110.0201	S	245.0	10.0	8.0	64.2	5	68.0	135.5	15.40	Audi, Audi Quat, VW
110.0210	S	245.0	10.0	8.0	83.6	5	45.2	135.5	M14	Audi
110.0261	S	245.0	10.0	8.0	40.0	10	68.0	135.5	15.30	Audi
109.0137	S	247.0	9.0	7.0	35.0	4	71.1	133.0	13.00	Citroen, Peugeot
113.0185	S	247.0	13.0	11.0	34.2	4	66.0	133.0	13.00	Peugeot
120.0180	V	247.0	20.0	18.0	35.3	4	55.0	129.0	13.20	Citroen, Peugeot, Toyota
122.1062	V	249.0	22.0	20.0	30.5	6	81.2	140.0	10.50	Nissan Comm.
122.1041	V	250.0	22.0	20.0	36.0	6	88.0	148.0	M12 x 1.25	Isuzu Comm.
122.1083	V	250.0	22.0	20.0	37.0	6	81.0	140.0	10.60	Nissan Comm.
118.0123	V	251.0	18.0	16.6	33.5	6	80.0	153.5	M10	Isuzu Comm.
110.0209	S	251.4	10.0	8.0	50.5	5	59.0	127.5	13.00	Alfa Romeo
118.0144	V	252.0	18.0	16.0	48.7	4	62.2	125.0	12.60	Hyundai, Kia
122.1063	V	252.0	22.0	20.0	36.0	6	88.0	152.0	M12	Isuzu Comm.
124.1076	V	252.0	24.0	22.0	24.0	6	86.0	155.0	10.40	Ford Comm., Mazda Comm.
110.0115	S	253.0	10.2	8.9	33.0	4	63.5	155.0	13.70	Ford
120.0166	V	253.0	20.0	18.4	28.6	5	84.0	153.0	10.60	Hyundai Comm.
124.0187	V	254.0	24.0	22.0	50.7	4	55.0	152.9	13.00	Kia
124.1003	V	254.0	24.0	22.0	39.0	6	87.0	152.0	M12 x 1.25	Mitsubishi Comm.
122.1035	V	255.0	22.0	20.0	46.3	4	55.0	129.8	14.60	Toyota
125.1001	V	255.0	25.0	23.0	41.0	4	74.1	152.0	M12 x 1.25	Toyota Comm.
125.1032	V	255.0	25.0	23.0	49.0	4	55.0	129.0	14.50	Toyota
128.0114	V	255.0	28.0	26.0	49.0	5	62.0	146.5	14.50	Toyota
112.0148	S	255.0	12.0	10.0	40.0	10	68.0	144.5	15.30	Audi, Audi Quattro
110.0277	S	255.0	10.0	8.0	51.6	5	65.0	140.0	15.30	VW
118.0151	V	256.0	18.0	16.0	46.9	4	62.2	126.0	12.50	Hyundai
119.0116	V	256.0	19.0	17.0	47.9	4	62.0	125.0	12.60	Hyundai
121.0115	V	256.0	21.0	19.0	39.2	4	64.2	142.0	12.60	Honda
120.0128	V	256.0	20.0	18.0	38.8	4	65.0	131.0	13.80	VW
124.0115	V	256.0	24.0	21.0	41.0	4	60.0	123.0	14.00	Daewoo, Opel
124.0152	V	256.0	24.0	21.0	41.1	4	60.0	123.0	14.25	Opel
122.0151	V	256.0	22.0	19.0	36.6	5	65.0	133.5	15.60	VW
122.0281	V	256.0	22.0	20.0	36.7	4	65.0	132.0	13.50	VW
120.1053	V	256.0	20.0	18.0	20.0	6	86.0	156.0	10.40	Ford Comm., Mazda Comm.
122.0260	V	256.0	22.0	20.0	46.6	4	62.2	126.0	12.50	Hyundai, Kia
122.1000	V	256.0	22.0	20.0	44.0	4	62.2	125.0	12.55	Hyundai, Kia
124.1077	V	256.0	24.0	22.0	41.0	4	59.0	123.0	12.50	Chevrolet
124.1084	V	256.0	24.0	21.0	45.5	4	60.0	125.2	12.60	Chevrolet
122.0146	V	257.0	22.0	20.0	49.2	4	68.0	144.0	12.60	Nissan
122.0165	V	257.0	22.0	20.0	45.0	4	55.0	125.0	13.00	Mazda
122.0170	V	257.0	22.0	20.0	34.0	4	86.0	160.5	10.50	Hyundai
124.1004	V	257.0	24.0	22.0	46.5	4	69.0	141.0	12.60	Hyundai
126.0112	V	257.0	26.0	24.0	45.5	4	61.0	133.0	12.75	Nissan
125.0118	V	257.0	25.0	24.0	46.6	5	84.0	145.0	M10	Toyota Comm.
125.1033	V	257.0	25.0	24.0	46.6	5	85.0	145.0	M10	CAM
122.0156	V	257.0	22.0	20.6	36.0	6	88.0	152.5	M12	Isuzu Comm.
122.0165	V	257.0	22.0	20.0	45.0	4	55.0	125.0	13.00	Mazda
122.0170	V	257.0	22.0	20.0	34.0	4	86.0	160.5	10.50	Hyundai

S - Solid Disc  
V - Ventilated Disc

## BRAKE DISC DIAMETER LISTING

ATE No.	S/V	A	B	C	D	E	F	G	H	MAKE
126.1071	V	257.0	26.0	24.0	40.0	6	88.0	155.0	M12 x 1.25	Isuzu Comm.
128.0105	V	257.0	28.0	26.0	58.4	5	62.0	141.0	14.60	Toyota Comm.
122.0231	V	257.0	22.0	20.0	40.5	4	60.0	126.0	14.50	Fiat, Opel
122.1100	V	257.0	22.0	20.0	45.3	4	55.0	132.0	15.50	Toyota
120.0142	V	257.5	20.0	18.2	40.5	4	59.0	126.7	13.00	Fiat Pass. & Comm.
122.0172	V	258.0	22.0	20.0	43.4	4	63.5	136.0	13.70	Ford
122.1061	V	258.0	22.0	20.0	47.0	4	55.0	133.0	14.50	Toyota
109.0118	S	258.0	9.0	7.3	55.5	5	67.0	164.0	15.00	Mercedes-Benz
109.0120	S	258.0	9.0	7.3	55.5	5	67.0	164.0	13.20	Mercedes-Benz
108.0113	S	258.0	8.0	7.0	57.3	5	67.0	164.0	15.00	Mercedes-Benz
109.0138	S	258.0	9.0	7.3	55.9	4	55.0	172.0	14.50	Toyota
116.0104	S	258.0	16.0	13.0	95.5	5	112.0	68.0	M14	VW
122.0289	V	258.0	22.0	19.8	44.0	4	61.0	126.5	13.50	Renault
124.0129	V	258.0	24.0	22.0	48.6	5	72.0	142.5	13.00	Ford, Mazda
123.0107	V	258.0	23.0	21.0	44.1	4	55.0	135.2	13.20	Ford, Mazda
123.0113	V	258.0	23.0	21.0	44.0	4	63.5	135.0	13.00	Ford
121.0106	V	259.0	20.6	17.7	41.0	4	61.0	130.0	12.70	Renault
109.0155	S	259.0	9.0	7.5	30.4	5	62.0	154.4	14.70	Toyota
122.1099	V	259.8	22.0	20.0	44.0	4	68.0	142.0	12.80	Nissan, Renault
110.0204	S	260.0	10.0	8.0	69.2	4	57.0	160.0	14.00	Opel
112.0158	S	260.0	12.0	10.0	48.6	10	65.0	140.0	15.30	VW
122.0216	V	260.0	22.0	20.0	44.0	4	61.0	124.0	13.50	Nissan, Renault
122.0122	V	260.0	22.0	20.4	35.0	4	66.0	138.0	14.50	BMW
124.0166	V	260.0	24.0	21.0	41.0	4	60.0	126.0	14.50	Opel
122.0168	V	260.0	22.0	19.4	40.4	5	67.0	160.0	13.25	Mercedes-Benz
122.0277	V	260.0	22.0	20.0	44.0	4	61.0	127.6	12.70	Nissan
126.1001	V	260.0	26.0	24.0	36.5	6	81.3	142.0	11.00	Nissan Comm.
124.1080	V	261.0	24.0	22.0	24.0	6	86.0	153.8	10.20	Kia Comm.
121.0105	V	262.0	21.0	19.0	44.7	4	64.1	141.0	13.00	Honda
121.0114	V	262.0	21.0	19.0	70.0	5	85.0	129.0	10.00	Land Rover, Tata
122.0148	V	262.0	22.0	19.8	44.0	4	61.0	132.0	13.50	Renault
124.1042	V	262.0	24.0	22.0	29.3	4	76.0	126.0	10.50	Toyota
110.0250	S	264.0	9.8	8.0	42.0	5	65.5	144.8	14.00	Opel
111.0155	S	265.0	11.0	9.0	40.8	5	63.5	152.6	13.70	Ford
122.0194	V	266.0	22.0	20.0	34.0	4	66.0	133.0	13.00	Citroen
113.0184	S	266.0	13.0	11.0	27.2	4	66.0	133.0	13.00	Citroen
120.0133	V	266.0	20.5	18.5	27.6	4	66.0	133.0	13.00	Citroen, Peugeot
122.0180	V	267.0	22.0	20.0	39.5	6	100.0	167.0	M10	Nissan Comm.
112.1101	S	268.0	12.0	10.0	45.0	5	60.0	147.0	14.20	Chevrolet
109.1032	S	269.0	9.0	7.3	55.7	4	55.1	173.0	14.60	Toyota
123.0119	V	269.0	22.4	19.8	44.1	5	68.0	139.0	15.50	Renault
110.1090	S	270.0	10.0	8.0	36.8	5	62.0	155.0	14.50	Toyota
110.0356	S	272.0	10.0	8.0	48.3	5/10	65.0	140.0	15.40	VW
116.0110	S	272.0	16.0	14.0	96.7	5	85.0	160.0	15.00	Mercedes-Benz Comm.
122.1082	V	272.0	22.0	20.0	24.6	6	93.0	170.0	10.20	Ford Comm., Mazda Comm.
126.1070	V	273.0	26.0	24.0	49.2	5	62.0	142.0	14.50	Toyota
124.0175	V	273.5	24.0	22.0	47.4	5	47.4	142.0	13.10	Mazda
126.0108	V	274.0	26.0	24.0	44.5	5	87.0	131.7	10.50	Hyundai Comm.
124.1081	V	274.0	24.0	22.0	24.0	6	93.0	167.0	10.50	Ford
122.0256	V	275.0	22.0	19.0	46.3	5	62.0	145.0	14.80	Toyota
125.0103	V	275.0	25.0	23.0	49.3	4	55.0	130.0	14.50	Toyota
126.0155	V	275.0	26.0	24.0	47.3	4	69.0	141.6	13.00	Kia
128.0115	V	275.0	28.0	26.0	50.0	5	62.0	159.0	14.50	Toyota
128.1007	V	275.0	28.0	26.0	58.6	5	62.0	144.0	14.60	Toyota
122.0204	V	275.8	22.0	20.0	44.0	4	64.2	142.5	14.80	Mini
119.0107	V	276.0	19.0	17.4	60.3	5	75.0	160.8	14.50	BMW
122.0161	V	276.0	22.0	19.0	77.2	5	85.0	156.3	15.00	Mercedes-Benz Comm.
124.1018	V	276.0	24.0	22.0	50.3	5	66.0	144.0	15.50	VW
124.0140	V	276.0	24.0	22.4	45.1	6	87.0	174.0	10.60	Mitsubishi
124.1002	V	276.0	24.0	22.0	45.0	6	87.0	136.0	M12 x 1.25	Mitsubishi Comm.
126.0131*	V	276.0	26.0	24.4	45.5	4	69.0	145.0	12.50	Mitsubishi
126.0134*	V	276.0	26.0	24.4	45.5	5	69.0	145.0	12.50	Mitsubishi
122.0232	V	276.0	22.0	19.4	44.5	5	67.0	145.0	15.30	Mercedes-Benz
126.1073	V	276.0	26.0	24.0	45.5	5	60.0	139.0	14.20	Chevrolet
122.0175	V	277.0	22.0	20.4	45.0	6	87.0	170.0	11.00	Mitsubishi Pass. & Comm.
125.1034	V	277.0	25.0	23.0	48.5	5	72.0	140.0	13.80	Mazda
126.0109	V	277.0	26.0	24.0	39.0	6	100.0	164.0	M10	Nissan Comm.
126.1075	V	277.0	26.0	24.0	49.2	5	62.1	142.0	14.60	Toyota
109.0114	S	278.0	9.0	7.3	55.5	5	67.0	164.0	13.30	Mercedes-Benz
109.0154	S	278.0	9.0	7.3	58.5	5	67.0	164.0	15.00	Mercedes-Benz
113.0137	S	278.0	12.6	10.6	63.3	5	80.0	127.5	15.20	Mercedes-Benz
122.0106	V	278.0	22.0	20.0	66.3	5	80.0	127.5	15.00	Mercedes-Benz
125.0117	V	278.0	25.0	23.0	48.5	5	63.5	140.0	13.70	Ford, Volvo
123.0122	V	278.0	23.0	21.0	44.0	4	63.5	135.0	13.00	Ford
125.0210	V	278.0	25.0	23.0	40.0	4	63.5	135.8	13.70	Ford
126.1077	V	278.0	26.0	24.0	27.0	5	92.0	171.6	12.20	Kia
130.1000	V	278.9	30.0	28.0	46.5	6	100.0	138.0	M10 x 1.25	Nissan
122.0101	V	280.0	22.0	20.0	39.5	4	65.0	137.0	13.60	Seat, VW
122.0179	V	280.0	22.0	20.0	49.2	4	68.0	143.3	12.75	Nissan
124.0158	V	280.0	24.0	21.8	44.0	4	61.0	140.0	13.60	Renault
110.0302	S	280.0	10.0	8.0	40.2	5	72.0	142.0	13.00	Mazda
110.0314	S	280.0	10.0	8.4	65.5	5	75.0	160.8	14.50	BMW
110.0202	S	280.0	10.0	8.4	60.0	5	75.0	160.8	14.50	BMW
122.0100	V	280.0	22.0	20.0	28.5	5	65.0	136.6	15.60	VW
112.0154	S	280.0	12.0	10.5	34.0	5	63.5	151.0	13.70	Ford, Jaguar
122.0150	V	280.0	22.0	19.0	36.6	5	65.0	133.5	15.60	Audi, VW
122.0210	V	280.0	22.0	20.0	49.4	5/10	65.0	144.2	15.30	VW
122.1066	V	280.0	22.0	19.4	43.9	4	62.2	154.5	12.50	Hyundai, Kia
124.1083	V	280.0	24.0	22.0	44.0	5	68.0	142.0	12.80	Nissan
125.0131*	V	280.0	25.0	22.0	42.0	5*	70.0	139.0	14.00	Opel
125.0148*	V	280.0	25.0	23.0	42.0	4*	60.0	139.0	14.00	Opel
127.0001	V	280.0	27.0	25.0	40.0	6	88.0	175.0	M12 x 1.25	Isuzu Comm.
128.0140	V	280.0	28.0	26.0	49.2	5	68.0	144.0	12.80	Nissan
110.0311	S	280.0	10.0	8.0	56.0	5	55.0	173.0	14.70	Toyota

S - Solid Disc  
V - Ventilated Disc

## BRAKE DISC DIAMETER LISTING

ATE No.	S/V	A	B	C	D	E	F	G	H	MAKE
110.0228	S	280.0	10.0	8.0	63.4	5	67.0	178.0	15.00	Mercedes-Benz
123.1000	V	280.0	23.0	21.4	39.2	5	61.0	132.0	14.00	Chrysler
124.0221	V	280.0	24.0	21.8	44.0	5	68.0	139.7	15.70	Renault
124.0253	V	280.0	24.0	21.8	44.0	4	61.0	139.7	13.80	Renault
124.1005	V	280.0	24.0	22.6	37.0	6	88.0	152.0	M12 x 1.25	Isuzu Comm.
126.1074	V	280.0	26.0	24.0	36.0	6	88.0	190.0	M12 x 1.25	GWM
128.1004	V	280.9	28.0	26.0	58.6	5	62.0	152.0	14.50	Toyota Comm.
123.0110	V	282.0	23.0	21.0	47.2	5	64.2	141.0	12.60	Honda
126.0120	V	283.0	26.0	24.0	34.2	4	66.0	133.5	13.00	Citroen
112.0128	S	284.0	12.0	10.0	43.5	5	67.0	154.3	12.80	Mercedes-Benz
122.0123	V	284.0	22.0	19.4	43.5	5	67.0	154.3	15.00	Mercedes-Benz
122.0132	V	284.0	22.0	19.4	43.5	5	67.0	154.3	12.80	Mercedes-Benz
122.0145	V	284.0	22.0	20.2	43.5	5	59.0	127.0	13.00	Alfa Romeo
122.0206	V	284.0	22.0	19.0	38.2	5	64.2	142.0	15.30	Rover
122.0239	V	284.0	22.0	20.0	73.0	5	79.0	152.0	14.80	BMW
122.0241	V	284.0	22.0	20.0	43.5	4	60.0	127.0	14.20	Fiat, Opel
124.0172	V	284.5	24.0	22.4	51.0	5	96.3	139.6	12.50	Kia
128.1000	V	285.0	28.0	26.0	48.5	6	105.0	155.0	10.50	Toyota Comm.
122.0196	V	285.0	22.0	20.0	93.0	6	120.0	167.0	15.1	Mercedes-Benz
112.0126	S	286.0	12.0	10.4	51.5	5	79.0	148.0	14.50	BMW
112.0169	S	286.0	12.0	10.0	48.6	5	65.0	159.0	15.30	VW
122.0115	V	286.0	22.0	20.4	51.5	5	79.0	148.0	14.50	BMW
112.0151	S	288.0	12.0	10.0	64.8	5	68.0	178.0	16.50	Volvo
125.0105	V	288.0	25.0	23.0	46.5	5	68.0	135.0	15.40	Audi, Audi Quattro, VW
125.0108	V	288.0	25.0	23.0	28.5	5	65.0	136.0	15.60	VW
125.0110	V	288.0	25.0	22.4	46.9	5	67.0	154.3	13.20	Mercedes-Benz
125.0167	V	288.0	25.0	22.4	44.5	5	67.0	154.3	15.30	Mercedes-Benz
125.0113	V	288.0	25.0	22.0	34.5	5	65.0	136.0	15.60	Audi, VW
125.0145	V	288.0	25.0	23.0	49.7	10	65.0	144.2	15.30	VW
128.0708	V	288.0	28.0	26.0	64.8	5	72.0	158.0	15.50	Chrysler Jeep
128.0107	V	288.0	28.0	26.0	64.6	5	72.0	158.0	15.70	Chrysler Jeep
120.0168	V	289.0	20.0	18.0	64.5	6	100.0	156.0	10.70	Toyota Comm.
128.1002	V	289.0	28.0	26.0	70.0	6	98.0	163.0	13.30	Ford Comm., Mazda Comm.
110.0217	S	290.0	10.0	8.3	55.5	5	67.0	164.0	13.20	Mercedes-Benz
110.0320	S	290.0	10.0	8.5	56.8	5	62.0	180.0	14.50	Toyota
110.0242	S	290.0	10.0	8.0	46.2	5	107.0	182.5	13.00	Suzuki

S - Solid Disc  
V - Ventilated Disc

## BRAKE DISC DIAMETER LISTING

ATE No.	S/V	A	B	C	D	E	F	G	H	MAKE
126.0145	V	290.0	26.0	24.4	46.6	6	94.0	171.0	12.80	Mitsubishi
122.0238	V	292.0	22.0	20.0	73.0	5	79.0	152.0	14.80	BMW
116.0119	V	292.0	16.0	14.0	62.0	5	68.0	172.0	12.80	Nissan
124.0196	V	293.5	24.0	22.0	56.7	5	58.0	129.0	13.00	Subaru
124.1082	V	294.0	24.0	22.0	45.6	5	69.0	143.0	12.60	Mitsubishi
119.0108	V	294.0	19.0	17.4	59.7	5	75.0	160.8	14.75	BMW
128.1003	V	294.0	28.0	26.0	46.4	6	94.0	171.0	12.60	Mitsubishi Comm.
128.0100	V	295.0	28.0	25.4	64.5	5	67.0	154.0	15.20	Mercedes-Benz
126.1003	V	295.0	26.0	24.0	49.3	5	62.0	140.0	14.60	Toyota
128.0141	V	295.5	28.0	25.4	54.5	5	67.0	154.0	15.30	Mercedes-Benz
122.0159	V	296.0	22.0	20.4	76.3	5	79.0	148.8	14.50	BMW
126.0154	V	296.0	26.0	24.4	44.0	5	68.0	160.0	12.80	Nissan, Renault
126.0185	V	296.0	26.0	24.0	44.0	5	68.0	148.0	12.80	Nissan, Renault
128.0121	V	296.0	28.0	26.0	38.0	6	68.0	160.0	12.70	Nissan
128.1006	V	296.0	28.0	26.0	53.2	6	68.0	154.0	12.80	Nissan
110.0280	S	296.0	10.0	8.0	57.7	5	67.0	186.0	15.00	Mercedes-Benz
135.1000	V	296.0	35.0	33.0	90.0	5	126.0	177.6	M14 x 1.5	Toyota Comm.
125.1035	V	297.0	25.0	23.0	67.4	6	108.0	167.7	14.40	Toyota Comm.
128.0277	V	297.0	28.0	26.0	51.5	5	68.0	143.0	13.20	Mazda
114.0108	S	298.0	14.0	13.0	70.0	5	101.6	161.0	10.60	Land Rover
120.0154	V	298.0	20.0	18.4	61.3	5	75.0	185.0	14.50	BMW
124.0143	V	298.0	24.0	22.0	70.0	5	101.6	155.3	10.60	Land Rover
110.0117	S	300.0	10.0	8.4	61.0	5	75.0	180.0	14.00	BMW
110.0328	S	300.0	10.0	8.3	57.5	5	67.0	164.0	15.30	Mercedes-Benz
120.0195	V	300.0	20.0	18.0	66.1	5	75.0	160.7	14.70	BMW
110.0278	S	300.0	10.0	8.3	68.3	5	67.0	180.0	15.30	Mercedes-Benz
122.0160	V	300.0	22.0	20.4	51.8	5	79.0	163.8	14.50	BMW
126.0166	V	300.0	26.0	24.0	45.5	5	70.7	167.0	14.20	Chevrolet, Opel
124.0161	V	300.0	24.0	22.0	47.0	5	63.5	155.0	13.70	Ford
124.0197	V	300.0	24.0	22.4	73.3	5	79.0	152.0	14.50	BMW
124.0198	V	300.0	24.0	22.0	44.5	4	63.5	156.5	13.70	Ford
125.1036	V	300.0	25.0	23.0	47.2	5	64.1	140.0	12.80	Honda
127.0002	V	300.0	27.0	25.0	40.0	6	88.0	167.0	M12 x 1.25	Isuzu Comm.
128.0203	V	300.0	28.0	25.0	68.5	6	85.0	155.0	15.00	VW
128.0102	V	300.0	28.0	25.4	68.3	5	80.0	145.0	15.00	Mercedes-Benz
128.0106	V	300.0	28.0	25.4	46.5	5	67.0	154.0	13.20	Mercedes-Benz
128.0145	V	300.0	28.0	25.4	58.5	5	67.0	153.0	15.00	Mercedes-Benz
128.0166	V	300.0	28.0	26.0	38.0	6	100.1	183.5	M10 x 1.25	Nissan
128.0234	V	300.0	28.0	26.4	47.3	5	69.0	141.5	12.50	Hyundai, Kia
128.0256	V	300.0	28.0	26.0	47.3	5	69.0	142.0	12.50	Hyundai, Kia
130.1001	V	300.0	30.0	28.4	52.4	5	96.3	163.0	12.50	Hyundai
128.0147	V	302.0	28.0	26.5	39.0	5	73.5	146.3	14.00	Chrysler
120.0153	V	302.0	20.0	19.0	48.0	6	100.0	166.5	15.00	Toyota Comm.
132.1000	V	302.0	32.0	30.0	61.0	6	98.0	163.0	13.20	Ford, Mazda
126.0116	V	303.0	26.0	24.0	51.5	5	67.0	168.0	15.00	Mercedes-Benz
128.0251	V	303.0	28.0	26.0	56.9	5	76.0	165.0	16.60	VW Comm.
126.0130	V	305.0	26.0	24.5	63.5	5	72.0	170.0	15.50	Chrysler Jeep, Mitsubishi
128.0123	V	305.0	28.0	25.0	50.3	5	68.0	139.0	16.50	Volvo
126.1068	V	305.0	26.0	24.0	63.6	5	72.0	170.0	15.80	Chrysler Jeep
128.0129	V	305.5	28.0	25.0	77.8	5	90.0	157.0	15.80	Opel
125.0142	V	308.0	25.0	23.0	42.0	5	70.0	139.0	14.00	Opel
130.0114	V	308.0	29.5	25.5	55.6	5	76.0	154.6	16.60	VW Comm.
122.0219	V	310.0	22.0	20.0	48.5	5	65.0	169.0	15.30	Audi, VW
124.0181	V	310.0	24.0	22.4	77.0	5	79.0	161.0	14.50	BMW
118.1080	V	312.0	18.0	16.0	67.9	6	108.0	139.7	14.60	Toyota
125.0123	V	312.0	25.0	23.0	34.5	5	65.0	185.0	15.60	Audi Quattro
125.0137	V	312.0	25.0	23.0	46.5	5/10	68.0	158.0	15.30	Audi, Quattro
125.0158	V	312.0	25.0	22.0	49.9	5/10	65.0	146.0	15.30	Audi, VW
124.0203	V	312.0	24.0	22.4	73.7	5	79.0	152.0	14.50	BMW
125.0149	V	314.0	25.0	23.0	59.7	5	68.0	144.0	15.30	Audi
125.0184	V	314.0	25.0	23.0	52.0	5	68.0	154.0	15.30	Audi
128.1001	V	318.3	28.0	26.0	67.3	6	108.0	172.1	14.5	Toyota
122.0185	V	319.0	22.0	20.0	70.2	6	108.0	173.0	14.55	Toyota Comm.
120.0183	V	320.0	20.0	18.4	61.2	5	75.0	185.0	14.50	BMW
122.0209	V	320.0	22.0	20.4	60.5	5	75.0	185.0	14.50	BMW
128.0242	V	320.0	28.0	26.0	44.0	5	68.0	146.5	12.70	Nissan, Renault
128.1005	V	320.0	28.0	26.0	38.0	6	68.0	193.0	12.70	Nissan Comm.
130.0113	V	320.0	30.0	28.0	46.5	5	68.0	137.0	15.30	Audi
128.0248	V	321.0	28.0	26.4	49.1	5	69.0	143.0	12.50	Hyundai, Kia
130.0224	V	321.0	30.0	27.0	45.5	5	70.7	115.0	14.30	Opel
130.0173	V	324.0	30.0	28.4	77.0	5	79.0	165.0	14.50	BMW
125.0138	V	325.0	25.0	23.4	52.6	5	79.0	174.0	14.75	BMW
124.0200	V	330.0	24.0	22.4	73.3	5	79.0	174.0	14.50	BMW
132.0158	V	330.0	32.0	29.4	54.5	5	67.0	156.3	15.20	Mercedes-Benz
128.0177	V	330.0	28.0	26.0	46.5	5	67.0	154.0	13.00	Mercedes-Benz
114.0111	S	331.0	13.9	12.3	55.3	5	67.0	184.0	15.30	Mercedes-Benz
122.0236	V	336.0	22.0	20.4	67.3	5	75.0	185.0	14.50	BMW
128.0194	V	338.0	28.0	26.0	67.3	6	108.0	172.0	14.50	Toyota
132.0174	V	338.0	32.0	29.0	68.2	6	108.0	172.0	14.50	Toyota
130.0225	V	340.0	30.0	27.0	49.7	5	65.0	142.0	15.30	VW
132.0114	V	345.0	32.0	30.0	51.0	5	67.0	156.5	15.30	Mercedes-Benz
136.0104	V	356.0	36.0	34.3	62.1	5	75.0	172.0	16.70	BMW
130.0195	V	360.0	30.0	27.0	62.0	5	79.0	175.0	15.00	Land Rover

S - Solid Disc  
V - Ventilated Disc